Latino Fathers as Catalistas (Agents of Change): Strategies to Support Latino Fathers in Childhood Obesity Prevention

Cassandra M. Johnson, PhD, MSPH¹; Joseph R. Sharkey, PhD, MPH²; Luis Gómez, BS²

ABSTRACT

Latino children are disproportionately affected by childhood obesity. Prior research has encouraged father engagement to bolster prevention efforts and outlined general strategies for father recruitment, engagement, and retention. However, behavioral nutrition or education programs with a focus on Latino fathers are lacking, which means there is little guidance for working with Latino fathers in motivation and maintenance. This perspective highlights strategies for supporting dietary and activity behaviors with Latino fathers. Researchers can apply strategies to observational studies or program development and implementation, and practitioners can use strategies to tailor education and counseling with Latino fathers as part of obesity prevention.

Key Words: fathers, male caregivers, Latino populations, childhood obesity, interventions (*J Nutr Educ Behav*. 2021;53:540–545.)

Accepted January 14, 2021. Published online March 3, 2021.

INTRODUCTION

Fathers are important for obesity prevention within families because of their influence on their families' food choices, physical activity, and weight status.^{1–3} Over time, fathers have also become much more involved in family responsibilities related to child care.⁴ Parker and Wang⁴ analyzed national data from the American Time Use Survey (1965–2011) and found that fathers have dramatically increased the time spent with their children from an average of 2.5 hours in 1965 to 7.3 hours in 2011. However, obesity-related studies and programs have focused on mothers and largely overlooked fathers.^{5–7}

Previous review papers have been published on father engagement in programs or interventions related to childhood obesity,^{5,7} and in observational studies related to food choices,

eating behaviors, and weight status within family contexts.⁶ This literature has outlined recommended strategies to address barriers in recruitment, engagement, and retention of fathers in childhood obesity prevention. Recommended strategies for father engagement have been based on studies with samples of predominantly White fathers or middle-class fathers, which is an important limitation. Some reviews have acknowledged the overrepresentation of White and middle-class fathers and the underrepresentation of minority fathers and fathers with lower levels of education and income in research.^{5–7} As a field, very little is known about how best to engage diverse fathers, including Latino fathers, in family-based obesity prevention. In this perspective, the term diverse refers to individuals from varied backgrounds, specifically people who have been

historically or currently oppressed or marginalized, on the basis of factors, including but not limited to race, ethnicity, gender, or socioeconomic status.

Latino individuals represented 20% of the US population based on 2019 Census data.⁸ A Pew Research report has predicted the growth of the Latino population.⁹ Latino adults and children are more likely to experience negative diet-related health outcomes, including increased obesity,^{10,11} which have been attributed to structural and social factors (eg, poverty, discrimination, and racism).^{12,13} Within Latino families, familism (a core value related to the significance of family) and gender roles can impact health behaviors in different ways.^{14,15} National data have shown that Latino fathers were more responsible for child caregiving than White fathers, and findings provided evidence for leveraging the “potential strength of minority families regarding fathering” (p. 212).¹⁶ In addition, a qualitative study reported that Latino fathers recognized themselves as role models for their children and already were engaged in food and activity parenting practices.¹⁷ However, there has been limited obesity-related research centered around Latino fathers.¹⁸

In 2018, O'Connor et al¹⁸ reviewed studies to understand the role of Latino fathers in children's obesity-related behaviors with an emphasis on physical activity. They identified 14

¹Nutrition and Foods Program, School of Family and Consumer Sciences, Texas State University, San Marcos, TX

²Department of Health Promotion and Community Health Sciences, Texas A&M School of Public Health, Texas A&M University, College Station, TX

Conflict of Interest Disclosure: The authors have not stated any conflicts of interest.

Address for correspondence: Cassandra M. Johnson, PhD, MSPH, Nutrition and Foods Program, School of Family and Consumer Sciences, Texas State University, 601 University Dr, San Marcos, TX 78666;; E-mail: cassandra_johnson@txstate.edu

© 2021 The Authors. Published by Elsevier Inc. on behalf of Society for Nutrition Education and Behavior. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)
<https://doi.org/10.1016/j.jneb.2021.01.014>

eligible observational studies, but because there were no experimental studies (eg, behavioral interventions or programs), they did not put forth strategies for how to support motivation or maintenance (as part of programs) with Latino fathers.¹⁸ In 2019, Vollmer and colleagues¹⁹ published a perspective article on father engagement in nutrition education and obesity research and described strategies related to recruitment, engagement, and retention. Although the Perspective by Vollmer et al¹⁹ summarized father engagement generally, there was little focus on strategies related to behavior change, including strategies specific to Latino fathers. Thus, there is a gap in the literature regarding strategies to support Latino fathers in obesity prevention, especially strategies for initiating and sustaining behavior change in programs.

Given the importance of supporting obesity prevention within Latino families and unrealized opportunities to engage Latino fathers as coparticipants, this article aims to provide perspective on supporting Latino fathers in nutrition and obesity-related programs and extends what is known by documenting strategies throughout a program (eg, from recruitment, engagement, retention through motivation and maintenance). The Table outlines strategies related to recruitment, engagement, retention, motivation, and maintenance. In the following sections, strategies are discussed for supporting health-promoting dietary and activity behaviors with Latino fathers as part of childhood obesity prevention, which is based on previous observational studies with Latino fathers,^{17,20–22} father-focused studies and reviews,^{2,5–7,18,19,23} and a review on recruitment and retention of minority participants.²⁴

Recruitment

Building trust with the community is essential for research with participants from minority groups, including Latinos, and positively influences recruitment and retention.²⁴ Prior work has emphasized more personalized and community-based recruitment approaches for minority participants, including Latino participants, such as using lay health

advisors, peer health educators, or community health workers, personal contact from community organizations, and referrals from family or friends.²⁴ Concordance in the racial and ethnic background between project staff and participants can also support recruitment.²⁴ Within Latino communities, promotores (Latino/a community health workers who share racial/ethnic backgrounds, language, and culture) can be valuable collaborators. Previous research with Latino families in Texas has discussed engaging promotores (Latina community health workers) as research partners.²⁵ However, it is unknown to what extent promotores have been involved in the recruitment of Latino fathers.

In community-based studies with Latino fathers, previous studies have recruited through local events,²¹ agencies or organizations including centers, schools, and *Special Supplemental Nutrition Program for Women, Infants, and Children* offices,^{17,20} or through health providers,²² which are typical recruitment sites. Prior studies have outlined father-specific recruitment sites such as the internet, worksites, gym, and barber-shops, and community venues such as public transit, sports events, school events, and schools.^{23,26,27} However, among a subsample of minority and nonresident fathers, fewer fathers recommended doctors' offices and worksites as recruitment sites.²³ A group of Latino fathers suggested the following locations for recruitment: family parks or community centers like the YMCA, churches, flea markets, and sports events.¹⁸ Previous studies also have emphasized targeting recruitment materials explicitly to fathers and communicating the benefits for the father-child relationship and family.^{2,5,7,18,19} Given the value of using more personalized and community-based recruitment methods,^{18,19,23,24} researchers may benefit from first contacting a family member or community partner before connecting directly with Latino fathers. For example, O'Connor et al¹⁸ found that Latino fathers desired consent and opinions from their families regarding participation in research. However, others have argued that successful recruitment of fathers requires direct father

recruitment or a male staff member to facilitate recruitment.^{7,19}

Engagement and Retention

In addition to appealing to fathers through recruitment, the literature supports emphasizing convenience (for the father participants), communicating the perceived benefits at the individual and family levels, creating more inclusive spaces for fathers (eg, scheduling father-only activities, having male research staff, designing interactive activities on the basis of father-specific preferences), incorporating opportunities for fathers to spend quality time with their children, and using incentives to recognize the value of fathers time and effort.^{2,7,18,19,23,24} Previously, research studies with Latino fathers have used incentives (eg, gift card or cash \$20–\$75),^{17,20,22} although the use of incentives alone is likely insufficient to bolster engagement.¹⁹

In addition, when working with minority fathers, researchers and practitioners must consider sociocultural factors.^{7,24} Previous studies with Latino fathers have addressed linguistic aspects of culture by using bilingual staff to translate written materials into Spanish and offering activities in Spanish and English^{21,22}; one study employed trained Latino male moderators to lead focus groups with Latino fathers.¹⁷ Scholars have emphasized the importance of considering sociocultural values, such as familism, to better engage Latino individuals in research.¹⁵ For example, O'Connor et al¹⁸ published a review paper on the engagement of Latino fathers in obesity-related studies, and they recommended strategies on the basis of sociocultural values, including collectivism, familism, gender roles, respect, and *simpatia* (which they defined as geniality). Thus, strategies for engaging Latino fathers include applying a family-focused approach that engages both parents (considering their distinct gender roles) and the children and focuses on fun activities that can be enjoyed by the entire family.¹⁸

Regarding retention, there is limited information available on how to retain Latino fathers specifically. However, Yancey et al²⁴ discussed the importance

Table. Strategies for Working With Latino Fathers in Childhood Obesity Prevention

Phase	Examples of Strategies	Rationale
Recruitment	Build support for the program with community organizations (eg, churches, community advisory boards, nonprofit organizations, and agencies) and community members (eg, neighbors), who can understand the value of fathers' participation and help demonstrate the value of participation to fathers. Develop relationships with female partners (and children's mothers) first and then connect directly with fathers.	Leverage interpersonal relationships within community, neighborhood, and family to increase appeal with fathers.
Engagement	Engage fathers in identifying and recruiting other fathers. Collaborate with promotores (Latino/a community health workers) so that a trusted, experienced, and relatable community member can lead interactions with fathers and their families. Incorporate fun and competitive games for fathers to teach and play with their children and consider traditional games that are familiar to fathers. Balance fathers' preferences for traditional foods with new offerings that are twists on traditional foods and preparations.	Demonstrate understanding of fathers' identities (as individuals, parents, and partners) and prioritize their values in program design and delivery.
Retention	Host raffles at the end of each session with prizes for fathers to select (include father-, mother-, and child-focused prizes). Create welcoming spaces for fathers to interact with other fathers and build peer support (relationships with other fathers). Plan a celebratory final session with mementos of participation (eg, certificates, photographs, and gifts for families).	Incorporate meaningful tangible and intangible benefits for fathers and their families.
Motivation	Develop special father-only and father-child activities for fathers to lead behavior change (during sessions and at-home) and enhance relationships between fathers and children. Incorporate child-led activities for fathers to learn from children and for children to lead behavior change. Provide rewards (eg, additional raffle tickets) to encourage fathers and family members to complete at-home activities in between sessions.	Apply theories and principles from motivational interviewing to build skills and internal motivation for behavior change at the individual (father) and family levels.
Maintenance	Ensure that all in-session recipes, active games, and exercises can be done with the resources and constraints available at home (inside and outside the home). Create alternate versions of in-session activities for use at home and with the entire family. Offer new (and additional) recipes, active games, and exercises for fathers and their families to try after the program ends.	Ease transition to maintenance by considering at-home resources and constraints (family context).

Note: This table is organized like the table published by Vollmer et al¹⁹ on strategies for recruitment, engagement, and retention of fathers. However, this table outlines additional strategies for motivation and maintenance, which are relevant to nutrition education and behavioral nutrition programs. The strategies presented here are based on the authors' understanding of related literature and their experience with outreach, education, and research activities with Mexican-heritage families, including fathers, living in border communities in south Texas.

of community involvement to support retention of minority participants, including Latinos, specifically the use of community health workers and more intensive and frequent

participant contacts; they also acknowledged that cultural adaptations might affect retention, such as matching racial/ethnic background of project staff and participants. The father

engagement literature suggests that the use of male or father research staff can bolster retention.^{2,19} However, it is important to note discordant findings related to the concordance of gender

and race/ethnicity between fathers and research personnel. For example, Davison et al²³ reported that 73% of fathers said gender (of research personnel) did not matter and concordance in racial/ethnic background was not important to 85% of surveyed fathers. O'Connor et al¹⁸ mentioned the importance of simpatía of research staff in retention or an empathetic approach in communications.

Overall, there are 3 recommendations for recruitment, engagement, and retention with Latino fathers. First, studies and programs can benefit from applying a family-focused approach to recruitment, engagement, and retention, such as focusing on the benefits for the entire family and engaging the mothers as co-parents.^{5,6,18,19,23} Second, collaboration with promotores (Latino/a community health workers) and formative research can be valuable in the development and implementation of specific strategies.^{19,24} Third, it is important to consider Latino fathers' unique sociocultural values throughout the study or program (eg, familism, etc), how fathers value their time, and their preferences for learning, activities, and foods. For example, employment demands (eg, schedules, commutes, labor requirements) affect the time and energy that Latino fathers have for nonwork activities like participation in a study or program.^{17,20} Using data from 2014 national survey, Latino men made up more of the Latino workforce than women (56.7% vs 43.3%) and typically were employed in occupations with higher wages than women (eg, construction vs maids and housekeeping cleaners); however, the wages and benefits of Latino/a workers were below all other racial/ethnic groups (White, Asian, and Black).²⁸ Latino fathers tend to provide the main source of household income, and there are trade-offs between time spent working and time spent in study or program activities. Because Latino fathers generally have positive attitudes toward their families, fathers may be more likely to participate when they have opportunities to spend quality time with family members and strengthen bonds.¹⁸ Prior research also has emphasized

fathers' preferences for hands-on and interactive learning activities and fun, active, and competitive games.^{2,19} Specifically, for Latino fathers, others have documented their preferences for more traditional and foods and preparations and their desires to continue food traditions with their families.^{17,18,29}

Motivation and Maintenance

There is little guidance on how to motivate Latino fathers toward behavior change or help them maintain behavior changes because there is a dearth of published papers on obesity-related programs with Latino fathers.¹⁸ Overall, the literature on father engagement supports applying a family-focused or family-centered approach in program design and delivery.^{5,6,18,23} Findings from qualitative research with Latino fathers provide additional support for programs that target behavior change at the individual (father) and family levels and support fathers as co-parents.^{17,20} In addition, Morgan et al² recommended that researchers consider a strengths-based approach in all aspects of program delivery, opportunities for reciprocal reinforcement between fathers and children, and a focus on practical, evidence-based tips to encourage and sustain behavior change with fathers in childhood obesity programs.² Strengths-based programs with Latino fathers can be based on formative research and developed in collaboration with promotores or other lay health leaders (eg, peer educators).^{19,20,24,25} Working with the community allows programs to consider context and sociocultural considerations relevant to Latino fathers and their families.

Currently, O'Connor and colleagues^{30,31} are leading a translation of the *Healthy Dads, Healthy Kids* (HDHK) program for Latino fathers and their children in Houston, Texas. Morgan et al^{26,27} originally developed HDHK as an obesity treatment program for predominantly White fathers and their children in Australia and demonstrated success in efficacy and effectiveness trials. Although adapting a program can be difficult, their HDHK translation will generate valuable insights for

supporting and sustaining behavior change with Latino fathers.^{30,31}

DISCUSSION

As Morgan et al⁷ described, fathers have critical and independent roles that influence dietary and physical activity behaviors within their families. Although they have the potential to be powerful agents of behavior change, fathers, especially Latino fathers, have been overlooked in studies and programs related to childhood obesity.^{5–7} Indeed, reviews of such works have not culminated with recommended strategies specific to engaging Latino fathers because (1) racial and ethnic minorities, including Latinos, have been historically excluded from research and (2) researchers have inconsistently reported race and ethnicity for parents and caregivers.^{5–7} The review by O'Connor et al¹⁸ is an exception. From the authors' perspective, silence or omission around race and ethnicity has hindered understanding how to support Latino fathers in childhood obesity prevention.

Given the demographic trends and critical need to support health for Latino populations, there are unrealized opportunities for researchers and practitioners to engage Latino fathers in childhood obesity prevention programs, and specifically in family-centered programs. The strategies described herein are generally supported by O'Connor et al.¹⁸ Latino individuals, particularly fathers, continue to be underrepresented in childhood obesity prevention research.^{5–7} Moving forward, nutrition researchers and professionals may approach this gap by engaging in self-reflection and embracing opportunities for professional development. For example, nutrition researchers and professionals could participate in training related to the cultural relevance of approaches, minority health, and health disparities and deliberately engage with minoritized populations through community-centered research and outreach. Professionals with increased awareness, skills, and experience might be more likely to initiate research with Latino populations.

Given that the nutrition workforce is primarily female and non-Hispanic White,³² it will likely require additional work for existing nutrition professionals to shift perspectives toward mindful inclusion of Latino fathers. As a field, growth is needed. Specifically, the nutrition workforce needs more Latino/a professionals to help reflect the racial/ethnic composition of the population, consider sociocultural aspects of nutrition, and better serve communities and clients. Although changes take time, individuals can begin by focusing on health equity, seeking guidance from policies documented in the updated 10 Essential Public Health Services,³³ Healthy People 2030,³⁴ and the Academy of Nutrition and Dietetics' Code of Ethics.³⁵

IMPLICATIONS FOR RESEARCH AND PRACTICE

In future work with parents or caregivers, it is recommended to (1) carefully assess and report on gender, race, ethnicity, and other characteristics, such as family structure or household composition, that describe participating individuals, and (2) separate results by gender for gender-inclusive studies or programs.⁵ As Davison et al⁵ outlined:

Greater transparency in reporting is needed and the tendency to generalize the results of mother-only studies to "parents" should be avoided. Likewise, studies should measure and report information on household composition, father residential status and father relationship with the target child (ie, biological father, step father, grandfather) given their implications for fathers' involvement in weight-related parenting and participation in obesity interventions. (p. 175)

Caregivers are unique individuals; well-designed studies founded on this premise will likely foster an understanding of how all individuals, including fathers and other male caregivers, influence health in their families. Future research will be strengthened by incorporating an inclusive approach to the design of studies and programs. In addition,

practitioners might consider these strategies when tailoring education and counseling with Latino caregivers, including fathers. Community engagement is an important part of developing culturally relevant studies and programs.²⁴ Collaboration with promotores (Latino/a community health workers) aligns with recommendations and may enhance nutrition education or behavioral programs with Latino fathers.^{24,25} Finally, there are opportunities to not only engage more Latino fathers as participants and clients but also to hire, train, and mentor Latino fathers as promotores and peer educators in research and programs. For example, nutrition programs, like the *Expanded Food and Nutrition Education Program* and *Supplemental Nutrition Assistance Program Education*, may benefit by including diverse male staff members as peer educators. Potential benefits include the ability of Latino fathers to relate to individual clients and their families, helping to enhance client experiences. Without actions to address the pipeline, it is not possible to engage more Latino fathers in nutrition research, education, and outreach.

Of note, given that the nutrition workforce is primarily female and non-Hispanic White,³² there is a critical need to diversify the nutrition workforce so that it includes people of different races, ethnicities, and genders. It is encouraging that the Society of Nutrition Education and Behavior and the Academy of Nutrition and Dietetics have centered equity in their organizational vision and mission and defined their positions through statements on diversity, inclusion, and equity.^{36–38} There are additional opportunities to engage younger individuals in nutrition-related initiatives. For example, nutrition-focused youth development programs like 4-H may engage adolescents and emergent adults who represent different communities, households, and families. Youth development programs can ignite and develop young people's interests in nutrition, increase their knowledge and skills, and enhance their experiences in nutrition undergraduate and graduate programs. In addition, in academia, nutrition professionals can

mentor students, especially students of different races, ethnicities, and genders, and first-generation students, through service-learning opportunities, which may facilitate their transition into nutrition-related professions. Efforts to augment the nutrition workforce will promote diversity and inclusion in research and practice and support culturally relevant research and programs going forward.

ACKNOWLEDGMENTS

This work is supported by Agriculture and Food Research Initiative Competitive Grant no. 2015–68001–23234 (ascension no. 1005563) from the US Department of Agriculture National Institute of Food and Agriculture.

REFERENCES

1. Khandpur N, Blaine RE, Fisher JO, Davison KK. Fathers' child feeding practices: a review of the evidence. *Appetite*. 2014;78:110–121.
2. Morgan PJ, Young MD. The influence of fathers on children's physical activity and dietary behaviors: insights, recommendations and future directions. *Curr Obes Rep*. 2017;6:324–333.
3. Neshteruk CD, Nezami BT, Nino-Tapias G, Davison KK, Ward DS. The influence of fathers on children's physical activity: a review of the literature from 2009 to 2015. *Prev Med*. 2017;102:12–19.
4. Parker K, Wang W. Modern parenthood: roles of moms and dads converge as they balance work and family. <https://www.pewsocialtrends.org/2013/03/14/modern-parenthood-roles-of-moms-and-dads-converge-as-they-balance-work-and-family/>. Accessed September 15, 2020.
5. Davison KK, Kitos N, Aftosmes-Tobio A, et al. The forgotten parent: fathers' representation in family interventions to prevent childhood obesity. *Prev Med*. 2018;111:170–176.
6. Davison KK, Gicevic S, Aftosmes-Tobio A, et al. Fathers' representation in observational studies on parenting and childhood obesity: a systematic review and content analysis. *Am J Public Health*. 2016;106:e14–e21.
7. Morgan PJ, Young MD, Lloyd AB, et al. Involvement of fathers in pediatric obesity treatment and prevention trials: a

- systematic review. *Pediatrics*. 2017;139:e20162635.
8. US Census Bureau. The Hispanic population in the United States: 2019. <https://www.census.gov/data/tables/2019/demo/hispanic-origin/2019-cps.html>. Accessed September 15, 2020.
 9. Stepler R, Lopez MH. U.S. Latino population growth and dispersion has slowed since onset of the great recession. <https://www.pewresearch.org/hispanic/2016/09/08/latino-population-growth-and-dispersion-has-slowed-since-the-onset-of-the-great-recession/>. Accessed September 15, 2020.
 10. Ogden CL, Fakhouri TH, Carroll MD, et al. Prevalence of obesity among adults, by household income and education - United States, 2011-2014. *MMWR Morb Mortal Wkly Rep*. 2017;66:1369-1373.
 11. Skinner AC, Ravanbakht SN, Skelton JA, Perrin EM, Armstrong SC. Prevalence of obesity and severe obesity in US children, 1999-2016. *Pediatrics*. 2018;141:e20173459.
 12. Findling MG, Bleich SN, Casey LS, et al. Discrimination in the United States: experiences of Latinos. *Health Serv Res*. 2019;54(suppl 2):1409-1418.
 13. Vega WA, Rodriguez MA, Gruskin E. Health disparities in the Latino population. *Epidemiol Rev*. 2009;31:99-112.
 14. Corona K, Campos B, Chen C. Familism is associated with psychological well-being and physical health: main effects and stress-buffering effects. *Hisp J Behav Sci*. 2017;39:46-65.
 15. Perez G, Cruess D. The impact of familism on physical and mental health among Hispanics in the United States. *Health Psychol Rev*. 2014;8:95-127.
 16. Hofferth SL. Race/ethnic differences in father involvement in two-parent families: culture, context, or economy? *J Fam Issues*. 2003;24:185-216.
 17. Zhang Y, Hurtado GA, Flores R, Alba-Meraz A, Reicks M. Latino fathers' perspectives and parenting practices regarding eating, physical activity, and screen time behaviors of early adolescent children: focus group findings. *J Acad Nutr Diet*. 2018;118:2070-2080.
 18. O'Connor T, Perez O, Garcia IC, Gallagher M. Engaging Latino fathers in children's eating and other obesity-related behaviors: a review. *Curr Nutr Rep*. 2018;7:29-38.
 19. Vollmer RL, Adamsons K, Mobley AR. Recruitment, engagement, and retention of fathers in nutrition education and obesity research. *J Nutr Educ Behav*. 2019;51:1121-1125.
 20. Lindsay AC, Wallington SF, Munoz MA, Greaney ML. A qualitative study conducted in the USA exploring Latino fathers' beliefs, attitudes and practices related to their young children's eating, physical activity and sedentary behaviours. *Public Health Nutr*. 2018;21:403-415.
 21. Parada H, Ayala GX, Horton LA, Ibarra L, Arredondo EM. Latino fathers' feeding-related parenting strategies on children's eating. *Ecol Food Nutr*. 2016;55:292-307.
 22. Penilla C, Tschann JM, Deardorff J, et al. Fathers' feeding practices and children's weight status in Mexican American families. *Appetite*. 2017;117:109-116.
 23. Davison KK, Charles JN, Khandpur N, Nelson TJ. Fathers' perceived reasons for their underrepresentation in child health research and strategies to increase their involvement. *Matern Child Health J*. 2017;21:267-274.
 24. Yancey AK, Ortega AN, Kumanyika SK. Effective recruitment and retention of minority research participants. *Annu Rev Public Health*. 2006;27:1-28.
 25. Johnson C, Sharkey J, Dean W, St John J, Castillo M. Promotoras as research partners to engage health disparity communities. *J Acad Nutr Diet*. 2013;113:638-642.
 26. Morgan P, Lubans D, Callister R, et al. The 'Healthy Dads, Healthy Kids' randomized controlled trial: efficacy of a healthy lifestyle program for overweight fathers and their children. *Int J Obes (Lond)*. 2011;35:436-447.
 27. Morgan PJ, Collins CE, Plotnikoff RC, et al. The 'Healthy Dads, Healthy Kids' community randomized controlled trial: a community-based healthy lifestyle program for fathers and their children. *Prev Med*. 2014;61:90-99.
 28. Bucknor C. *Hispanic Workers in the United States*. Center for Economic and Policy Research; 2016. <https://cepr.net/images/stories/reports/hispanic-workers-2016-11.pdf>. Accessed December 30, 2020.
 29. Roche A, Goto K, Zhao Y, Wolff C. Bonding and bridging social and cultural capitals: perceived factors associated with family eating practices among Hmong, Latino, and white mothers and fathers. *J Nutr Educ Behav*. 2015;47:540-547. e1.
 30. O'Connor TM, Perez O, Beltran A, et al. Cultural adaptation of 'Healthy Dads, Healthy Kids' for Hispanic families: applying the ecological validity model. *Int J Behav Nutr Phys Act*. 2020;17:52.
 31. Perez O, Beltran A, Isbell T, et al. Papás Saludables, Niños Saludables: perspectives from Hispanic parents and children in a culturally adapted father-focused obesity program. *J Nutr Educ Behav*. 2021;53:246-253.
 32. Academy of Nutrition and Dietetics. Accreditation Council for Education in Nutrition and Dietetics, Dietetics Education Program statistics 1998-2019. <https://www.eatrightpro.org/-/media/eatrightpro-files/acend/1995-2019-diversity-enrollment-trends.pdf?la=en&hash=1B29762243F3D8CC767ECDF-BE7D1FAF762339689>. Accessed September 15, 2020.
 33. Centers for Disease Control and Prevention. 10 essential public health services. <https://www.cdc.gov/publichealthgateway/publichealthservices/essentialhealth-services.html>. Accessed September 30, 2020.
 34. US Department of Health and Human Services. Healthy People 2030 framework. <https://health.gov/healthypeople/about/healthy-people-2030-framework>. Accessed September 15, 2020.
 35. Academy of Nutrition and Dietetics. *Code for Ethics for the Nutrition and Dietetics Profession*. Academy of Nutrition and Dietetics; 2018. <https://www.eatrightpro.org/-/media/eatrightpro-files/career/code-of-ethics/coeforthe-nutritionanddieteticsprofession.pdf?la=en&hash=0C9D1622C51782-F12A0D6004A28CDAC0CE99A032>. Accessed September 15, 2020.
 36. Society for Nutrition Education and Behavior. About. <https://www.sneb.org/about/>. Accessed December 31, 2020.
 37. Academy of Nutrition and Dietetics. Academy mission, vision and principles. <https://www.eatrightpro.org/about-us/academy-vision-and-mission/mission-and-vision-statements>. Accessed December 31, 2020.
 38. Society for Nutrition Education and Behavior. The Society for Nutrition Education and Behavior (SNEB): statement on addressing racial injustice. <https://www.sneb.org/blog/2020/06/17/general/the-society-for-nutrition-education-and-behavior-sneb-statement-on-addressing-racial-injustice/>. Accessed December 31, 2020.